

1.

Water is pumped out of a lake at the rate  $R(t) = 12\sqrt{\frac{t}{t+1}}$  cubic meters per minute, where  $t$  is measured in minutes. How much water is pumped from time  $t = 0$  to  $t = 5$ ?

- (A) 9.439 cubic meters
- (B) 10.954 cubic meters
- (C) 43.816 cubic meters
- (D) 47.193 cubic meters
- (E) 54.772 cubic meters

2.

Let  $f$  be a positive, continuous, decreasing function such that  $a_n = f(n)$ . If  $\sum_{n=1}^{\infty} a_n$  converges to  $k$ , which of the following must be true?

- (A)  $\lim_{n \rightarrow \infty} a_n = k$
- (B)  $\int_1^n f(x) dx = k$
- (C)  $\int_1^{\infty} f(x) dx$  diverges.
- (D)  $\int_1^{\infty} f(x) dx$  converges.
- (E)  $\int_1^{\infty} f(x) dx = k$

3.

The derivative of the function  $f$  is given by  $f'(x) = x^2 \cos(x^2)$ . How many points of inflection does the graph of  $f$  have on the open interval  $(-2, 2)$ ?

- (A) One      (B) Two      (C) Three      (D) Four      (E) Five

4.

Let  $f$  and  $g$  be continuous functions for  $a \leq x \leq b$ . If  $a < c < b$ ,  $\int_a^b f(x) dx = P$ ,  $\int_c^b f(x) dx = Q$ ,  $\int_a^b g(x) dx = R$ , and  $\int_c^b g(x) dx = S$ , then  $\int_a^c (f(x) - g(x)) dx =$

- (A)  $P - Q + R - S$   
(B)  $P - Q - R + S$   
(C)  $P - Q - R - S$   
(D)  $P + Q - R - S$   
(E)  $P + Q - R + S$

5.

If  $\sum_{n=1}^{\infty} a_n$  diverges and  $0 \leq a_n \leq b_n$  for all  $n$ , which of the following statements must be true?

(A)  $\sum_{n=1}^{\infty} (-1)^n a_n$  converges.

(B)  $\sum_{n=1}^{\infty} (-1)^n b_n$  converges.

(C)  $\sum_{n=1}^{\infty} (-1)^n b_n$  diverges.

(D)  $\sum_{n=1}^{\infty} b_n$  converges.

(E)  $\sum_{n=1}^{\infty} b_n$  diverges.

6.

Let  $f$  be a function with  $f(3) = 2$ ,  $f'(3) = -1$ ,  $f''(3) = 6$ , and  $f'''(3) = 12$ . Which of the following is the third-degree Taylor polynomial for  $f$  about  $x = 3$ ?

(A)  $2 - (x - 3) + 3(x - 3)^2 + 2(x - 3)^3$

(B)  $2 - (x - 3) + 3(x - 3)^2 + 4(x - 3)^3$

(C)  $2 - (x - 3) + 6(x - 3)^2 + 12(x - 3)^3$

(D)  $2 - x + 3x^2 + 2x^3$

(E)  $2 - x + 6x^2 + 12x^3$

7.

For all values of  $x$ , the continuous function  $f$  is positive and decreasing. Let  $g$  be the function given by  $g(x) = \int_2^x f(t) dt$ . Which of the following could be a table of values for  $g$ ?

(A) 

$x$	$g(x)$
1	-2
2	0
3	1

(B) 

$x$	$g(x)$
1	-2
2	0
3	3

(C) 

$x$	$g(x)$
1	1
2	0
3	-2


(D) 

$x$	$g(x)$
1	2
2	0
3	-1

(E) 

$x$	$g(x)$
1	3
2	0
3	2

8.



The figure above shows the graphs of the functions  $f$  and  $g$ . The graphs of the lines tangent to the graph of  $g$  at  $x = -3$  and  $x = 1$  are also shown. If  $B(x) = g(f(x))$ , what is  $B'(-3)$ ?

- (A)  $-\frac{1}{2}$       (B)  $-\frac{1}{6}$       (C)  $\frac{1}{6}$       (D)  $\frac{1}{3}$       (E)  $\frac{1}{2}$

9.

The function  $f$  is continuous for  $-2 \leq x \leq 2$  and  $f(-2) = f(2) = 0$ . If there is no  $c$ , where  $-2 < c < 2$ , for which  $f'(c) = 0$ , which of the following statements must be true?

- (A) For  $-2 < k < 2$ ,  $f'(k) > 0$ .
- (B) For  $-2 < k < 2$ ,  $f'(k) < 0$ .
- (C) For  $-2 < k < 2$ ,  $f'(k)$  exists.
- (D) For  $-2 < k < 2$ ,  $f'(k)$  exists, but  $f'$  is not continuous.
- (E) For some  $k$ , where  $-2 < k < 2$ ,  $f'(k)$  does not exist.

10.

What is the area enclosed by the curves  $y = x^3 - 8x^2 + 18x - 5$  and  $y = x + 5$ ?

- (A) 10.667      (B) 11.833      (C) 14.583      (D) 21.333      (E) 32

11. (2011, BC-1)

At time  $t$ , a particle moving in the  $xy$ -plane is at position  $(x(t), y(t))$ , where  $x(t)$  and  $y(t)$  are not explicitly given. For  $t \geq 0$ ,  $\frac{dx}{dt} = 4t + 1$  and  $\frac{dy}{dt} = \sin(t^2)$ . At time  $t = 0$ ,  $x(0) = 0$  and  $y(0) = -4$ .

- (a) Find the speed of the particle at time  $t = 3$ , and find the acceleration vector of the particle at time  $t = 3$ .
- (b) Find the slope of the line tangent to the path of the particle at time  $t = 3$ .
- (c) Find the position of the particle at time  $t = 3$ .
- (d) Find the total distance traveled by the particle over the time interval  $0 \leq t \leq 3$ .

12. (2013, BC-1)

On a certain workday, the rate, in tons per hour, at which unprocessed gravel arrives at a gravel processing plant is modeled by  $G(t) = 90 + 45\cos\left(\frac{t^2}{18}\right)$ , where  $t$  is measured in hours and  $0 \leq t \leq 8$ . At the beginning of the workday ( $t = 0$ ), the plant has 500 tons of unprocessed gravel. During the hours of operation,  $0 \leq t \leq 8$ , the plant processes gravel at a constant rate of 100 tons per hour.

- (a) Find  $G'(5)$ . Using correct units, interpret your answer in the context of the problem.
- (b) Find the total amount of unprocessed gravel that arrives at the plant during the hours of operation on this workday.
- (c) Is the amount of unprocessed gravel at the plant increasing or decreasing at time  $t = 5$  hours? Show the work that leads to your answer.
- (d) What is the maximum amount of unprocessed gravel at the plant during the hours of operation on this workday? Justify your answer.