

Name _____ Date _____ Period _____

Worksheet 2.1—Algebraic Domains of FunctionsGive simplified, exact values for all answers. **No Calculator is Permitted.****I. Multiple Choice**

_____ 1. If $f(x) = \frac{\sqrt{x-1}}{x^2-9}$, then the domain of f is given by the interval

- (A) $(1, \infty)$ (B) $(-3, 3)$ (C) $[1, 3) \cup (3, \infty)$ (D) $(-3, 3) \cup (3, \infty)$ (E) $[1, 3)$

_____ 2. Which of the following functions has no vertical asymptote(s)?

- (A) $f(x) = \frac{x-7}{(x-7)(x-5)}$ (B) $f(x) = \frac{x}{x^2-x-1}$ (C) $f(x) = \frac{1}{x-2}$
 (D) $f(x) = \frac{x^2-9x+20}{(x-4)(x-5)}$ (E) None, they all have at least one VA

_____ 3. Which of the following functions has a hole at $(1, 4)$?

- (A) $f(x) = \frac{x-1}{(x-1)(x-5)}$ (B) $f(x) = \frac{x-1}{(x+1)^2}$ (C) $f(x) = \frac{4}{x-1}$
 (D) $\frac{(x-1)(11x+1)}{(x-1)(x+2)}$ (E) $f(x) = \begin{cases} x^2+3, & x \leq 1 \\ x+4, & x > 1 \end{cases}$

_____ 4. Which of the following equations represents y as a function of x ?

- (A) $x^2 + 3y = 5$ (B) $y = x^2 - 7x + y^2$ (C) $x^2 - y^3 - 9 = y^{3/4}$ (D) $|x| - |y| = 0$ (E) None of these

_____ 5. Which set of ordered pairs represents a function? (There may be more than one correct answer.)

- (A) $\{(a, 3), (b, 5), (c, 9), (d,)\}$ (B) $\{(a, -3), (b, 6), (c, 1), (b, 9)\}$ (C) $\{(a, 3), (b, 3), (c, 3), (b, -3)\}$
 (D) $\{(a, 5), (a, -9), (a, 0), (a, 12)\}$ (E) $\{(a, 3), (b, 5), (c, 9), (d, 9)\}$

II. Short Answer

6. Find the domains of the following functions. Use correct notation.

a) $f(x) = \frac{1}{\sqrt{x^2 - 4}}$

b) $g(x) = \frac{3x}{x^2 + 4x + 3}$

c) $h(x) = \sqrt{x^2 + 5x - 6}$

d) $k(x) = \frac{2}{\sqrt{(x-2)^2}}$

e) $j(x) = \frac{-1}{1 - \sqrt{x+2}}$

f) $k(x) = \frac{4x-1}{(x^2 + 3)^{1/3}}$

g) $m(x) = \frac{\frac{2-x}{x-3}}{\frac{x-5}{x}}$

7. Find all the discontinuities (if any) of the following functions, then classify them as Holes, VA's, or Jumps.

a) $f(x) = \frac{x-1}{x^3-x}$

b) $f(x) = \frac{x-5}{x^2+25}$

c) $f(x) = \frac{3x-6}{|x-2|}$

d) $f(x) = \frac{3x^2-3x-18}{4x^2-36}$

e) $f(x) = \begin{cases} x^2, & x \neq 3 \\ 9, & x = 3 \end{cases}$

f) $f(x) = \begin{cases} x^2, & x \neq 3 \\ -9, & x = 3 \end{cases}$

$$\text{g) } f(x) = \begin{cases} x^2, & x < 3 \\ 5x - 6, & x \geq 3 \end{cases}$$

$$\text{h) } f(x) = \begin{cases} x^2, & x < 3 \\ 3x, & x > 3 \end{cases}$$

$$\text{i) } f(x) = \begin{cases} x^2, & x < 3 \\ 7, & x = 3 \\ 3x - 1, & x > 3 \end{cases}$$

$$\text{j) } f(x) = \begin{cases} \frac{1}{x}, & x < 1 \\ \frac{x-3}{x^2+x-12}, & x > 1 \end{cases}$$