



Déjà Vu, It's Algebra 2!

Lesson 09

Matrix Multiplication

Last week we looked at multiplying a matrix by a *scalar*. Today we will look at multiplying two matrices together to obtain a *matrix product*.



Two matrices A and B can be multiplied to get AB only if the number of **columns** of A equals the number of **rows** in B .



The product of an $m \times n$ and an $n \times p$ matrix is an $m \times p$ matrix.



An $m \times n$ matrix A can be identified using the notation $A_{m \times n}$

Example:

$$A = \begin{bmatrix} 5 & 2 & 1 \\ 6 & -1 & 4 \end{bmatrix} \quad B = \begin{bmatrix} 5 & 4 & 8 & 7 \\ 3 & 6 & 9 & 8 \\ 9 & 0 & 1 & 2 \end{bmatrix}$$

$$A \quad B \quad AB$$


$$2 \times 3 \quad 3 \times 4 \quad = 2 \times 4$$

Example:

$$P = \begin{bmatrix} 1 & 5 \\ 8 & 8 \\ 9 & 0 \end{bmatrix} \quad Q = \begin{bmatrix} 2 & 4 & -3 & 6 & 1 \\ 5 & 8 & 2 & 7 & 0 \\ -1 & 8 & 4 & 7 & 2 \end{bmatrix}$$

$$\begin{array}{ccc} P & Q & PQ \\ 3 \times 2 & 3 \times 5 & \text{undefined} \\ & & 2 \neq 3 \end{array}$$

So now we know how to determine if the matrix product exists, but how do we actually **FIND** it?



We simply **add the products** of consecutive entries of the **rows of the first** matrix and the **columns of the second** matrix.

Example:

$$W = \begin{bmatrix} 3 & -2 \\ 1 & 0 \\ 2 & -1 \end{bmatrix} \quad X = \begin{bmatrix} 4 & 7 & -2 \\ 5 & 1 & -1 \end{bmatrix} \quad Y = \begin{bmatrix} 1 & 4 \\ -2 & 3 \end{bmatrix}$$

Find the following matrix products if possible.

$$WX =$$

$$XW =$$

$$XY =$$

$$YX =$$

Notice in the previous examples that $WX \neq XW$ and $XY \neq YX$. This means that

MATRIX MULTIPLICATION IS NOT COMMUTATIVE!!!



Even though the operation might be defined either way, they do not necessarily yield the same matrix, even if the resultant matrix is the same dimension.

Last time, we looked at the additive identity matrix, today, we will look at the **multiplicative identity matrix**.

The multiplicative identity matrix, I , is any square matrix with each entry along the main diagonal equal to 1 and all other entries equal to 0.

$$I_{2 \times 2} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \quad I_{3 \times 3} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Example:

$$\text{For } A = \begin{bmatrix} 2 & 1 & -3 \\ 4 & 9 & 5 \\ -2 & 7 & -5 \end{bmatrix} \text{ and } I = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Find AI , IA and compare them.

$$AI = \begin{bmatrix} 2 & 1 & -3 \\ 4 & 9 & 5 \\ -2 & 7 & -5 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} =$$

$$IA = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 2 & 1 & -3 \\ 4 & 9 & 5 \\ -2 & 7 & -5 \end{bmatrix} =$$

So for any square matrix $A_{m \times m}$ and identity matrix $I_{m \times m}$,

$$A = AI = IA$$

Matrix multiplication is only commutative when the multiplicative identity matrix is one of the factors!

Déjà RE-Vu

Two stores held sales on their videos and DVDs, with prices shown below. Use the sales data to determine how much money each store brought in from the sale Saturday.

Sales Prices

	Videos	DVDs
Video World	\$8.95	\$11.95
Star Movies	\$7.50	\$12.50



Total Sales

	Friday	Saturday	Sunday
Videos	23	31	25
DVDs	40	48	42

References:

<http://go.hrw.com>

<http://jones.ling.indiana.edu/~concat/>

http://www.wpclipart.com/office/supplies/magnifying_glass_01.png

http://www.xanga.com/azn_xoxo

<http://www.laborbeat.org/lb/home.htm>

<http://www.usbyte.com/common/dvd.htm>